

COLONOSCOPY



# THE TIMELINE

#### 7 DAYS OUT

- Plan your meals for the week (Diets: low fiber, clear liquid and soft foods).
- · Stop supplements and certain medications verify with your gastroenterologist.
- Acetaminophen is acceptable.
- Read your prep instructions thoroughly.
- Arrange for someone to drive you home after the colonoscopy.

\*Your test will have to be rescheduled if you don't have someone to accompany you home\*

## 3 DAYS OUT

- Stop taking any fiber supplements and anti-diarrheal medication.
- Purchase your medication (double check if coupons are available) and groceries in time for meal prep.
- Take your medication, following the instructions you've received for the procedure preparation.
- Eat only low-fiber foods, avoid foods that contain red, blue or purple dyes that may interfere with the test.
- Confirm that a family member or friend is available to drive you home after your procedure and to stay with you for two hours afterward.

## 2 DAYS OUT

- Continue eating only low-fiber foods.
- Continue to avoid foods that contain red, blue or purple dyes that may interfere with the test.
- List all medications you are taking for procedure preparation.

### DAY BEFORE

- Drink only clear or certain light-colored beverages; continue to avoid drinks with red, blue, or purple dyes
- Do not eat solid foods. No alcohol and avoid dairy products.
- Follow bowel prep instructions prescribed by your doctor.

#### DAY OF

It's time for a vacation to toilet town!

- Clear liquid diet only.
- Take your medication per your doctor's instruction.
- Verify what time you you need to stop drinking prior to arrival time.
- Bring your insurance cards, driver's license and/or photo ID to the procedure.
- Wear comfortable clothes and leave valuables and jewelry at home.
- If your prep isn't going well (no bowel movements and/or vomiting) call your doctor immediately.
  You may continue with modifications or have to stop prep and reschedule.

# DAY AFTER

- Read and review the discharge instructions from your nurse after the procedure.
- If polyp(s) were removed, have soft food for the next few days.
- Double check what medication you can take after your procedure.
- If you have any complications (i.e., stomach pain, fever, bleeding, etc.) reach out to your nurse.

Instructions are for general rule of thumb but may vary slightly depending on the preparation instructions, medication and medical provider. Discuss your preparation details with your gastroenterologist.

DISCLAIMER: Content is intended for general informational purposes only and is not intended as professional medical advice by GH Foundation.

